



Características




PC										PCF-G									
		T	D	P	L	A	C	E	H			T	D	P	L	A	C	E	H
	SS-PC4-M5	M5	4	9.5	21.5	5	2.5	13.5	S10		SS-PCF6-M5	M5	6	11	24	7	2.5	13.5	S12
	SS-PC4-M6	M6	4	9.5	21.5	5	2.5	13.5	S10		SS-PCF6-M6	M6	6	11	24	7	2.5	15.5	S12
	SS-PC4-O1	R1/8	4	9.5	19	8	3.2	13.5	S10		SS-PCF6-G01	G1/8	6	11	25	8	5.2	15.5	S12
	SS-PC4-O2	R1/4	4	9.5	20.5	11	3.2	13.5	S14		SS-PCF6-G02	G1/4	6	11	28	11	5.2	15.5	S17
	SS-PC4-O3	R3/8	4	9.5	21.5	11	3.2	13.5	S17		SS-PCF6-G03	G3/8	6	11	28	11	5.2	15.5	S19
	SS-PC6-M5	M5	6	11	21.5	5	2.5	15.5	S12		SS-PCF6-G04	G1/2	6	11	30	13	5.2	15.5	S24
	SS-PC6-M6	M6	6	11	21.5	5	2.5	15.5	S12		SS-PCF8-G01	G1/8	8	13.5	26	8	6	16.5	S14
	SS-PC6-O1	R1/8	6	11	22	8	5.2	15.5	S12		SS-PCF8-G02	G1/4	8	13.5	29	11	7	16.5	S17
	SS-PC6-O2	R1/4	6	11	23	11	5.2	15.5	S14		SS-PCF8-G03	G3/8	8	13.5	29	11	7	16.5	S19
	SS-PC6-O3	R3/8	6	11	23	11	5.2	15.5	S17		SS-PCF8-G04	G1/2	8	13.5	31	13	7	16.5	S24
	SS-PC6-O4	R1/2	6	11	26.5	14	5.2	15.5	S22		SS-PCF10-G01	G1/8	10	16	27	8	6	17	S17
	SS-PC6-O6	R3/4	6	11	27.5	15	5.2	15.5	S27		SS-PCF10-G02	G1/4	10	16	30	11	7	17	S17
	SS-PC8-M5	M5	8	13.5	23.5	5	2.5	16.5	S14		SS-PCF10-G03	G3/8	10	16	30	11	9	17	S19
	SS-PC8-O1	R1/8	8	13.5	25.5	8	6	16.5	S14		SS-PCF10-G04	G1/2	10	16	32	13	9	17	S24
	SS-PC8-O2	R1/4	8	13.5	24.5	11	7	16.5	S14		SS-PCF12-G02	G3/4	12	18	31	11	7	18	S19
	SS-PC8-O3	R3/8	8	13.5	23.5	11	7	16.5	S17		SS-PCF12-G03	G3/8	12	18	31	11	10	18	S19
	SS-PC8-O4	R1/2	8	13.5	26.5	14	7	16.5	S22		SS-PCF12-G04	G1/2	12	18	33	13	10	18	S24
	SS-PC8-O6	R3/4	8	13.5	27.5	15	7	16.5	S27		SS-PCF14-G02	G1/4	14	19.5	32	11	7	19	S22
	SS-PC10-O1	R1/8	10	16	27	8	6	17	S17		SS-PCF14-G03	G3/8	14	19.5	32	11	10	19	S22
SS-PC10-O2	R1/4	10	16	28	11	7	17	S17	SS-PCF14-G04	G1/2	14	19.5	34	13	12	19	S24		
SS-PC10-O3	R3/8	10	16	25	11	9	17	S17	SS-PCF16-G02	G1/4	16	21.5	32	11	7	19	S22		
SS-PC10-O4	R1/2	10	16	25	14	9	17	S22	SS-PCF16-G03	G3/8	16	21.5	32	11	10	19	S22		
SS-PC10-O6	R3/4	10	16	26.5	15	9	17	S27	SS-PCF16-G04	G1/2	16	21.5	34	13	13	19	S24		
SS-PC12-O1	R1/8	12	18	28	8	6	18	S19											
SS-PC12-O2	R1/4	12	18	31	11	7	18	S19											
SS-PC12-O3	R3/8	12	18	28	11	10	18	S19											
SS-PC12-O4	R1/2	12	18	26	14	10	18	S22											
SS-PC12-O6	R3/4	12	18	27	15	10	18	S27											
SS-PC14-O2	R1/4	14	19.5	29	11	7	19	S22											
SS-PC14-O3	R3/8	14	19.5	29.5	11	10	19	S22											
SS-PC14-O4	R1/2	14	19.5	28.5	14	13	19	S22											
SS-PC14-O6	R3/4	14	19.5	28.5	15	13	19	S27											
SS-PC16-O2	R1/4	16	21.5	29.5	11	7	19	S22											
SS-PC16-O3	R3/8	16	21.5	29.5	11	10	19	S22											
SS-PC16-O4	R1/2	16	21.5	29.52	14	13	19	S22											
SS-PC16-O6	R3/4	16	21.5	9	15	14	19	S27											
SS-PC16-1"																			

POC										PL											
		T	D	P	L	A	D1	E	H			T	D	P	L	L1	C	A	E	H	
	SS-POC4-M5	M5	4	9.5	21.5	5	9.5	13.5	2.5		SS-PL4-M5	M5	4	9.5	15.5	18.5	18.5	2.5	5	13.5	S10
	SS-POC4-O1	M6	4	9.5	19	5	10	13.5	2.5		SS-PL4-M6	M6	4	9.5	15.5	18.5	18.5	2.5	5	13.5	S10
	SS-POC4-O2	R1/4	4	9.5	20.5	11	14	13.5	2.5		SS-PL4-O1	R1/8	4	9.5	15.5	19.5	19.5	3.2	8	13.5	S10
	SS-POC6-M5	M5	6	11	21.5	5	12	15.5	2.5		SS-PL4-O2	R1/4	4	9.5	15.5	22	22	3.2	11	13.5	S14
	SS-POC6-O1	R1/8	6	11	22	8	12	15.5	4		SS-PL6-M5	M5	6	11	18.5	18.5	18.5	2.5	5	15.5	S10
	SS-POC6-O2	R1/4	6	11	23	11	14	15.5	4		SS-PL6-M6	M6	6	11	18.5	18.5	18.5	2.5	5	15.5	S10
	SS-POC6-O3	R3/8	6	11	23	11	17	15.5	4		SS-PL6-O1	R1/8	6	11	18.5	21	21	4	8	15.5	S10
	SS-POC6-O4	R1/2	6	11	26.5	14	22	15.5	4		SS-PL6-O2	R1/4	6	11	18.5	23	23	4	11	15.5	S14
	SS-POC8-O1	R1/8	8	13.5	25.5	8	14	16.5	5		SS-PL6-O3	R3/8	6	11	18.5	23	23	4	11	15.5	S17
	SS-POC8-O2	R1/4	8	13.5	24.5	11	14	16.5	6		SS-PL6-O4	R1/2	6	11	18.5	26	26	4	14	15.5	S22
	SS-POC8-O3	R3/8	8	13.5	23.5	11	17	16.5	6		SS-PL8-O1	R1/8	8	13.5	20.5	23	23	6	8	16.5	S12
	SS-POC8-O4	R1/2	8	13.5	20.5	14	22	16.5	6		SS-PL8-O2	R1/4	8	13.5	20.5	24.5	24.5	6	11	16.5	S14
	SS-POC10-O1	R1/8	10	16	27	8	17	17	5		SS-PL8-O3	R3/8	8	13.5	20.5	24.5	24.5	6	11	16.5	S17
	SS-POC10-O2	R1/4	10	16	27	11	17	17	6		SS-PL8-O4	R1/2	8	13.5	20.5	28	28	6	14	16.5	S22
	SS-POC10-O3	R3/8	10	16	25	11	17	17	8		SS-PL10-O1	R1/8	10	16	22	22	24.5	6	8	17	S14
	SS-POC10-O4	R1/2	10	16	25	14	22	17	8		SS-PL10-O2	R1/4	10	16	22	22	26.5	8	11	17	S14
	SS-POC12-O2	R1/4	12	18	31	11	19	18	6		SS-PL10-O3	R3/8	10	16	22	22	25.5	8	11	17	S17
	SS-POC12-O3	R3/8	12	18	28	11	19	18	8		SS-PL10-O4	R1/2	10	16	22	22	28.5	5	14	17	S22
	SS-POC12-O4	R1/2	12	18	26	14	22	18	8		SS-PL12-O2	R1/4	12	18	23.5	28	28	8	11	18	S17
SS-POC14-O2	R1/4	14	19.5	29	11	21	19	6	SS-PL12-O3	R3/8	12	18	23.5	28	28	10	11	18	S17		
SS-POC14-O3	R3/8	14	19.5	29.5	11	21	19	10	SS-PL12-O4	R1/2	12	18	23.5	30	30	10	14	18	S22		
SS-POC14-O4	R1/2	14	19.5	29.5	14	21	19	10	SS-PL14-O2	R1/4	14	19.5	29.5	30	30	8	11	19	S19		
SS-POC16-O2	R1/4	16	21.5	29.5	11	21	19	10	SS-PL14-O3	R3/8	14	19.5	29.5	30.5	30.5	10	11	19	S19		
SS-POC16-O3	R3/8	16	21.5	29.5	11	22	19	10	SS-PL14-O4	R1/2	14	19.5	29.5	33.5	33.5	10	14	19	S22		
SS-POC16-O4	R1/2	16	21.5	29.5	14	22	19	12	SS-PL16-O2	R1/4	16	21.5	31.5	32	32	12	11	19	S22		
									SS-PL16-O3	R3/8	16	21.5	31.5	32	32	12	11	19	S22		
									SS-PL16-O4	R1/2	16	21.5	31.5	32	32	12	14	19	S22		



PCF-G										PMF										
		T	D	P	L	A	C	E	H			T	D	P	L	A	C	M	E	H
	SS-PCF4-M5	M5	4	9.5	22	7	2.5	13.5	S10		SS-PMF4-M5	M5	4	9.5	25	7	2.5	M11X1	13.5	S14
	SS-PCF4-M6	M6	4	9.5	22	7	2.5	13.5	S10		SS-PMF4-M6	M6	4	9.5	25	7	2.5	M11X1	13.5	S14
	SS-PCF4-G01	G1/8	4	9.5	23	8	3.2	13.5	S12		SS-PMF4-O1	G1/8	4	9.5	25	8	3.2	M11X1	13.5	S14
	SS-PCF4-G02	G1/4	4	9.5	26	11	3.2	13.5	S17		SS-PMF4-O2	G1/4	4	9.5	28	11	3.2	M11X1	13.5	S17

		D	P	T	A	C	H	E	L	L1	N	Z
	SS-PYX4-01	4	9.5	R1/8	8	3.2	S10	13.5	35	11	3.1	11
	SS-PYX4-02	4	9.5	R1/4	11	3.2	S14	13.5	38	11	3.1	11
	SS-PYX6-01	6	11	R1/8	8	5.2	S10	15.5	39	12.5	3.1	13
	SS-PYX6-02	6	11	R1/4	11	5.2	S14	15.5	42	12.5	3.1	13
	SS-PYX6-03	6	11	R3/8	11	5.2	S17	15.5	42	12.5	3.1	13
	SS-PYX6-04	6	11	R1/2	14	5.2	S22	15.5	46	12.5	3.1	13
	SS-PYX8-01	8	13.5	R1/8	8	6	S12	16.5	41	15	4.1	15
	SS-PYX8-02	8	13.5	R1/4	11	7	S14	16.5	43	15	4.1	15
	SS-PYX8-03	8	13.5	R3/8	11	7	S17	16.5	43	15	4.1	15
	SS-PYX8-04	8	13.5	R1/2	14	7	S17	16.5	47	15	4.1	15
	SS-PYX10-02	10	16	R1/4	11	7	S22	17	47	16	4.1	18
	SS-PYX10-03	10	16	R3/8	11	9	S17	17	47	16	4.1	18
SS-PYX10-04	10	16	R1/2	14	9	S17	17	51	16	4.1	18	

Características


PYX													PG										
	SS-PYX12-02	12	18	R1/4	11	7	17	48	48	17	4.1	20.5		SS-PG6-4	6	11	4	9.5	3.2	15.5	13.5	30	
	SS-PYX12-03	12	18	R3/8	11	10	22	48	48	17	4.1	20.5		SS-PG8-4	8	13.5	4	9.5	3.2	16.5	13.5	31	
	SS-PYX12-04	12	18	R1/2	14	10	18	52	52	17	4.1	20.5		SS-PG8-6	8	13.5	6	11	5.2	16.5	15.5	33	
	SS-PYX14-02	14	19.5	R1/4	11	12	19	53	53	17.5	4.1	23.5		SS-PG10-6	10	16	6	11	5.2	17	15.5	34	
	SS-PYX14-03	14	19.5	R3/8	11	12	19	53	53	17.5	4.1	23.5		SS-PG10-8	10	16	8	13.5	7	17	16.5	35	
	SS-PYX14-04	14	19.5	R1/2	14	12	22	57	57	17.5	4.1	23.5		SS-PG12-6	12	18	6	11	5.2	18	15.5	35	
PH														SS-PG12-8	12	18	8	13.5	7	18	16.5	36	
	SS-PH12-10	12	18	10	16	9	18	17	36														
	SS-PG14-8	14	19.5	8	13.5	7	19	16.5	37														
	SS-PG14-10	14	19.5	10	16	9	19	17	38														
	SS-PG14-12	14	19.5	12	16	10	19	18	38														
	SS-PG16-8	16	21.5	8	13.5	7	19	17	38														
	SS-PG16-10	16	21.5	10	16	9	19	16.5	37														
	SS-PG16-12	16	21.5	12	18	10	19	18	39														
	SS-PG16-14	16	21.5	14	19.5	12	19	19	39														
	PLM														SS-PG1/4-5/32	1/4	11	5/32	9.5	3.2	15.5	13.5	30
	SS-PG5/16-5/32	5/16	13.5	5/32	9.5	3.2	16.5	13.5	31														
	SS-PG5/16-1/4	5/16	13.5	1/4	11	5.2	16.5	15.5	33														
	SS-PG3/8-1/4	3/8	16	1/4	11	5.2	17	15.5	34														
	SS-PG1/2-1/4	1/2	18	1/4	11	5.2	18	15.5	35														
	SS-PG1/2-3/8	1/2	18	3/8	16	9	18	17	36														
		SS-PH4-M5	M5	4	9.5	26	21	5	13.5	S10		SS-PLM 4-4	M11X1	4	9.5	15.5	27	3.2	9	13.5	S14	314	
		SS-PH4-M6	M6	4	9.5	26	21	5	13.5	S10		SS-PLM 6-6	M13X1	6	11	18.5	30	4	10	15.5	S17	317	
		SS-PH4-01	R1/8	4	9.5	25	21	8	13.5	S10		SS-PLM 8-8	M15X1	8	13.5	20.5	32	6	11	16.5	S17	317	
		SS-PH4-02	R1/4	4	9.5	30	23	11	13.5	S14		SS-PLM 10-10	M18X1	10	16	22	34.5	8	11	17	S19	319	
		SS-PH6-M5	M5	6	11	26	23	5	15.5	S10		SS-PLM 12-12	M20X1	12	18	23.5	36.5	10	11	18	S22	322	
		SS-PH6-M6	M6	6	11	26	23	5	15.5	S10													
SS-PH6-01		R1/8	6	11	25	23	8	15.5	S10														
SS-PH6-02		R1/4	6	11	30	25	11	15.5	S14														
SS-PH6-03		R3/8	6	11	35	27	11	15.5	S17														
SS-PH6-04		R1/2	6	11	41	28.5	14	15.5	S22														
SS-PH8-01		R1/8	8	13.5	25	24	8	16.5	S12														
SS-PH8-03		R1/4	8	13.5	30	26	11	16.5	S14														
SS-PH8-03		R3/8	8	13.5	35	28	11	16.5	S17														
SS-PH8-04		R1/2	8	13.5	41	29.5	14	16.5	S22														
SS-PH10-01		R1/8	10	16	25	24.5	8	17	S14														
SS-PH10-02		R1/4	10	16	30	26.5	11	17	S14														
SS-PH10-03		R3/8	10	16	35	28.5	11	17	S17														
SS-PH10-04		R1/2	10	16	41	30	14	17	S22														
SS-PH12-02	R1/4	12	18	30	27.5	11	18	S17															
SS-PH12-03	R3/8	12	18	35	29.5	11	18	S17															
SS-PH12-04	R1/2	12	18	41	31	14	18	S22															
SS-PH14-02	R1/4	14	19.5	30	28.5	11	19	S19															
SS-PH14-03	R3/8	14	19.5	35	30.5	11	19	S19															
SS-PH14-04	R1/2	14	19.5	41	32	14	19	S22															
SS-PH16-02	R1/4	16	9.5	30	28.5	11	19	S22															
SS-PH16-03	R3/8	16	9.5	35	30.5	11	19	S22															
SS-PH16-04	R1/2	16	9.5	41	32	14	19	S22															
PU														SS-PMK4	M11X1	4	3.2	3.2	13.5	S14	30.5		
SS-PU4	4	9.5	3.2	13.5	29	SS-PMK6	M13X1	6	11	5.2	15.5	S17		34.5									
SS-PU6	6	11	5.2	15.5	32	SS-PMK8	M15X1	8	13.5	7	16.5	S17		36.5									
SS-PU8	8	13.5	7	16.5	34	SS-PMK10	M18X1	10	16	9	17	S19		28.5									
SS-PU10	10	16	9	17	36	SS-PMK12	M20X1	12	18	10	18	S22		40.5									
SS-PU12	12	18	10	18	38	SS-PMK14	M23X1	14	19.5	12	19	S24		42.5									
SS-PU14	14	19.5	12	19	40	SS-PMK16	M23X1	16	21.5	14	19	S24		42.5									
SS-PU16	16	21.5	14	19	40																		
SS-PU5/32	5/32	9.5	3.2	13.5	29	SS-PMK5/32	M11X1	5/32	9.5	3.2	13.5	S14		30.5									
SS-PU1/4	1/4	11	5.2	15.5	32	SS-PMK1/4	M13X1	1/4	11	5.2	15.5	S17		34.5									
SS-PU5/16	5/16	13.5	7	16.5	34	SS-PMK5/16	M15X1	5/16	13.5	7	16.5	S17		36.5									
SS-PU3/8	3/8	16	9	17	36	SS-PMK3/8	M18X1	3/8	16	8	17	S19		38.5									
SS-PU1/2	1/2	18	10	18	38	SS-PMK1/2	M20X1	1/2	18	10	18	S22	40.5										
PM														SS-PY4	4	9.5	3.2	11	13.5	30.5	3.1	11	
SS-PM4	4	9.5	3.2	13.5	29	SS-PY6	6	11	5.2	12.5	15.5	34.5		3.1	13								
SS-PM6	6	11	5.2	15.5	32	SS-PY8	8	13.5	7	15	16.5	38		4.1	15								
SS-PM8	8	13.5	7	16.5	34	SS-PY10	10	16	9	16	17	42		4.1	18								
SS-PM10	10	16	9	17	36	SS-PY12	12	18	10	17	18	47		4.1	20.5								
SS-PM12	12	18	10	18	38	SS-PY14	14	19.5	12	17.5	19	55		4.1	23.5								
SS-PM14	14	19.5	12	19	40	SS-PY16	16	21.5	14	17.5	19	55		4.1	23.5								
SS-PM16	16	21.5	14	19	40																		
SS-PM5/32	5/32	9.5	3.2	13.5	29																		
SS-PM1/4	1/4	11	5.2	15.5	32																		
SS-PM5/16	5/16	13.5	7	16.5	34																		
SS-PM3/8	3/8	16	9	17	36																		
SS-PM1/2	1/2	18	10	18	38																		

Características


PV								PEG											
	SS-PV4 SS-PV6 SS-PV8 SS-PV10 SS-PV12 SS-PV14 SS-PV16 SS-PV5/32 SS-PV1/4 SS-PV5/16 SS-PV3/8 SS-PV1/2	4 6 8 10 12 14 16 5/32 1/4 5/16 3/8 1/2	9.5 11 13.5 16 18 19.5 21.5 9.5 11 13.5 16 18	3.2 5.2 7 9 11 12 14 3.2 5.2 7 9 11	15 18 19.5 22.5 25 29 31 15 18 19.5 22.5 25	13.5 15.5 16.5 17 18 19 19 13.5 15.5 16.5 17 18	3.1 3.1 4.1 4.1 4.1 4.1 4.1 3.1 3.1 4.1 4.1 4.1												
PE								PP											
	SS-PE4 SS-PE6 SS-PE8 SS-PE10 SS-PE12 SS-PE14 SS-PE16 SS-PE5/32 SS-PE1/4 SS-PE5/16 SS-PE3/8 SS-PE1/2	4 6 8 10 12 14 16 5/32 1/4 5/16 3/8 1/2	9.5 11 13.5 16 18 19.5 21.5 9.5 11 13.5 16 18	3.2 5.2 7 9 11 12 14 3.2 5.2 7 9 11	15 18 19.5 22.5 25 29 31 15 18 19.5 22.5 25	13.5 15.5 16.5 17 18 19 19 13.5 15.5 16.5 17 18	3.1 3.1 4.1 4.1 4.1 4.1 4.1 3.1 3.1 4.1 4.1 4.1												
PYG								PGJ											
	SS-PYG6-4-4 SS-PYG8-6-6 SS-PYG10-8-8 SS-PYG12-8-8 SS-PYG12-10-10 SS-PYG14-12-12 SS-PYG16-12-12 SS-PYG16-14-14	6 8 10 12 12 14 16 16	11 13.5 16 18 18 19.5 21.5 21.5	4 6 8 8 10 12 12 14	9.5 11 13.5 13.5 16 18 18 19.5	3.2 5.2 7 7 9 10 10 12	11 12.5 15 16 16 17 17 17.5	13.5 15.5 16.5 17 18 18 19 19	15.5 16.5 17 18 18 19 19 19	32.5 36 37 39 43.5 43.5 55 55	3.1 3.1 4.1 4.1 4.1 4.1 4.1 4.1	11 13 15 18 18 20.5 23.5 23.5							
PX								PLJ											
	SS-PX4 SS-PX6 SS-PX8 SS-PX10 SS-PX12 SS-PX5/32 SS-PX1/4 SS-PX5/16 SS-PX3/8 SS-PX1/2	4 6 8 10 12 5/32 1/4 5/16 3/8 1/2	9.5 11 13.5 16 18 9.5 11 13.5 16 18	3.2 5.2 7 9 10 3.2 5.2 7 9 10	13.5 15.5 16.5 17 18 13.5 15.5 16.5 17 18	32 38 42 45 48 32 38 42 45 48													
PW								SL											
	SS-PW4 SS-PW6 SS-PW8 SS-PW10 SS-PW12	4 6 8 10 12	9.5 11 13.5 16 18	3.2 5.2 7 9 10	84 84 86 47 49.5	18.5 21 22 28 30	13.5 15.5 16.5 17 18	14 14 14 20 20											
	SS-SL4LM5 SS-SL4-M6 SS-SL4-01 SS-SL4-02 SS-SL6-M5 SS-SL6-M6 SS-SL6-01 SS-SL6-02 SS-SL6-03 SS-SL6-04 SS-SL8-01 SS-SL8-02	M5 M6 R1/8 R1/4 M5 M6 R1/8 R1/4 R3/8 R1/2 R1/8 R1/4	4 4 4 4 6 6 6 6 6 6 8 8	9.5 9.5 9.5 9.5 11 11 11 11 11 11 13.5 13.5	21 21 21 23 23 23 23 25 27 28.5 24 26	5 5 8 11 5 5 8 11 11 14 8 11	13.5 13.5 13.5 15.5 15.5 15.5 15.5 15.5 15.5 15.5 16.5 16.5	S10 S10 S10 S14 S10 S10 S10 S14 S17 S22 S12 S12 S14											


Características

SL								
	SS-SL8-03	R3/8	8	13.5	28	11	16.5	S17
	SS-SL8-04	R1/2	8	13.5	29.5	14	16.5	S22
	SS-SL10-01	R1/8	10	16	24.5	8	17	S14
	SS-SL10-02	R1/4	10	16	26.5	11	17	S14
	SS-SL10-03	R3/8	10	16	28.5	11	17	S17
	SS-SL10-04	R1/2	10	16	30	14	17	S22
	SS-SL12-02	R1/4	12	18	27.5	11	18	S17
	SS-SL12-03	R3/8	12	18	29.5	11	18	S17
	SS-SL12-04	R1/2	12	18	31	14	18	S22
	SS-SL14-02	R1/4	14	19.5	28.5	11	19	S19
	SS-SL14-03	R3/8	14	19.5	30.5	11	19	S19
	SS-SL14-04	R1/2	14	19.5	32	14	19	S22
	SS-SL16-02	R1/4	16	21.5	28.5	11	19	S22
	SS-SL16-03	R3/8	16	21.5	30.5	11	19	S22
	SS-SL16-04	R1/2	16	21.5	32	14	19	S22

BSM						
	SS-BSM 1/8	6	7.5	12	1/8	13.5
	SS-BSM 1/4	8	9.5	17	1/4	18
	SS-BSM 3/8	10	9.5	19	3/8	18
	SS-BSM 1/2	14	13	22	1/2	21.5
	SS-BSM 3/4	18.5	14	27	3/4	23
	SS-BSM 1	23	15	34	1	24
	SS-BSM 1 1/2	30	20	42	1 1/2	33

BSL-J						
	SS-BSJ M5	2.5	5	12	M5	26
	SS-BSJ 1/8	6	7.5	12	1/8	28
	SS-BSJ 1/4	8	9.5	17	1/4	35
	SS-BSJ 3/8	10	9.5	19	3/8	35
	SS-BSJ 1/2	14	13	22	1/2	48
	SS-BSJ 3/4	18.5	14	27	3/4	54
	SS-BSJ 1	23	15	34	1	60
	SS-BSJ 1 1/2	30	20	42	1 1/2	63

SA						
	SS-SA4	4	9.5	48.5	---	13.5
	SS-SA6	6	11	44	---	15.5
	SS-SA8	8	13.5	40	---	16.5
	SS-SA10	10	16	50.5	---	17
	SS-SA12	12	18	57	---	18
	SS-SA5/32	5/32	9.5	48.5	---	13.5
	SS-SA1/4	1/4	11	44	---	15.5
	SS-SA5/16	5/16	13.5	46	---	16.5
	SS-SA3/8	3/8	16	50.5	---	17
	SS-SA1/2	1/2	16	57	---	18

BSM-S						
	SS-BSM-S 1/8	6	7.5	12	1/8	13.5
	SS-BSM-S 1/4	8	9.5	17	1/4	18
	SS-BSM-S 3/8	10	9.5	19	3/8	18
	SS-BSM-S 1/2	14	13	22	1/2	21.5
	SS-BSM-S 3/4	18.5	14	27	3/4	23
	SS-BSM-S 1	23	15	34	1	24
	SS-BSM-S 1 1/2	30	20	42	1 1/2	33